

Our mission is to provide high-quality water to our current and future customers at a reasonable cost.

Questions or comments on the contents of this report are encouraged. Please contact Operations Manager Joseph Marcinko at 661-947-4111 x1185 or Water Quality & Regulatory Affairs Supervisor Amanda Thompson at 661-947-4111 x1178, Monday through Thursday, 8:00 a.m. to 5:00 p.m.

ATTENCION RESIDENTES!

Esta publicación está disponible en español en nuestro sitio web en palmdalewater.org. Para obtener una copia impresa en español, visite nuestra oficina o llame al 661-947-4111.



PRSRT STD U.S. POSTAGE PAID PERMIT NO. 1 PALMDALE, CA

BOARD OF DIRECTORS

W. Scott Kellerman Division 1

Don Wilson Division 2

Cynthia Sanchez Division 3

Kathy Mac Laren-Gomez Division 4

General Manager Dennis D. LaMoreaux

Vincent Dino Division 5

THE WATER QUALITY DATA CHART LISTS ALL DRINKING WATER CONTAMINANTS DETECTED DURING THE 2023 CALENDAR YEAR.

The presence of these contaminants in the water does not necessarily indicate the water poses a health risk. PWD tests for many contaminants in addition to those listed in the chart. Test results for these additional contaminants were all "Non-Detected" (ND) and are not required to be included in the chart. The state allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. As a result, some of the data, though representative of the water quality, is more than one year old. Unless otherwise noted, the data presented in this chart is from testing performed January 1 to December 31, 2023.

Parameter Regulation			Meets MRL Sampl		Sample	Frequency	ency Water Treatment Plant			PHG (MCLG)			Typical Source of Contaminant						
Treatment recinity	ecnniques			Stallua	iiu:					Level F	-ound								
		Π=	TT = 1 NTU		Υ		0.1				0.1								
Turbidity		TT = 95% of monthly		hly	Υ			Continuous		1000/ ~ 0.2 NTU				NA NA			Soil Runoff		
		samples ≤0.3 NTU								100% ≤ 0.3 NTU									
Turbidity is a measure of the cloudiness of the water. We measure it because it is a good indicator of the effectiveness of our filtration system.																			
Disinfection Byproduct Precursors T = ratio of actual TOC																			
Control of DBP Precursor (TOC)		removal to required TOC removal shall be ≥ 1		TOC			1	Monthly		2.2 - 3.2		2.8	NA NA		NA	Various natural and man-made sources			
Parameter Primary Standards		MCL or [MRDL]			Meets Standard?		MRL	Sample Frequency		Distribution System		PHG (MCLG) [MRDLG]		DLG]	Typical Source of Contaminant				
Disinfectant Residu	ıal									All Sample Ra	ange	RAA							
Chlorine (as Cl2)		[4.0 mg/L]			Υ	Υ		Weekly		ND - 2.0			[4]			Drinking water	disinfectant added for treatment		
Disinfection Bypro	Disinfection Byproducts (DBPs)									All Sample Ra	ange	Highest	Highest RAA						
	TTHMs (Total Trihalomethanes)		80 μg/L		Υ	Y 1		Qu	arterly	2 - 79	<u> </u>	65	65		NA		D. J. (1) 1:		
HAA5 (Sum of 5 Haloacetic Acids)		60 μg/L			Υ	Y 2		Qu	arterly	ND - 12		10		NA			Byproduct of drinking water disinfection		
Parameter Primary Standards		MCL	Mee Standa		DLR	Fı Surf	Sample requenc face Wat oundwat	y er/	Plan S	eated Surface Water nt Effluent Summary Sampled in 2023			Sai	Groundwater nmary Results from Wells ampled in 2021-2023		23	PHG (MCLG)	Typical Source of Contaminant	
Range Average Range Average Inorganic Chemicals																			
Arsenic		10 μg/L	Υ		2	Annually / Triennially			NA		ND		NI)-3	1	ND	0.004	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes	
Chromium (Total)		50 μg/L	Υ		10	Annually / Triennially			NA		ND	ND		ND - 20 ND		ND	(100)	Discharge from steel and pulp mills and chrome plating; erosion of natural deposits	
Fluoride (naturally occurring)		2.0 mg/L	Y		0.1	Quarterly/ Quarterly			0.1 - 0.2		0.2	.2		- 0.5	C).2	1	Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum factories	
Nitrate (as Nitrogen)		10 mg/L	Y		0.4	Quarterly Quarterly			NA		ND		ND - 7		2	10	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits		
Perchlorate		6 μg/L	Υ		2	Annu Annu			NA		ND		ND - 4		١	ND	1	Used in solid rocket propellant, fireworks, explosives, flares, matches, and a variety of industries	
Radioactivity																			
Gross Alpha Particle	e Activity	15 pCi/L	Y	Υ 3		Varied ¹			NA		13		NI) - 3	ı	۱D	(0)	Erosion of natural deposits	
Gross Beta Particle Activity ³		50 pCi/L	Υ		4	Quart	terly / WAIVED		ND - 5		ND		1	NA		ND.	(0)	Decay of natural and man-made deposits	
Uranium		20 pCi/L	Y		1		Varied ²		NA	ND			NI) - 4	N	ND.	0.43	Erosion of natural deposits	
Tap Monitoring Lead & Copper	Action Level	Meets Standard?	DLR		Sam	d and Copper Rule ampled in 2021 90th		Sampl No. of schools requesti		ng in Schools ed in 2018					Typical	cal Source of Contaminant			
					Range		Percentile			sampling		Range	Averag	ige					
Lead	15 μg/L	Y	5		50 sites sampled; 0 sites over AL		ı	ND		29		88 sites sampled; 0 sites over AL	ND 0.		0.2	discha	nal corrosion of household water plumbing systems; arges from industrial manufacturers; erosion of al deposits		
Copper	1.3 mg/L	Y	0.05	50 sites sampled; 0 sites over AL		(0.5		NA		NA	NA 0.3		0.3	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives				

Parameter	MCL	Meets Standard?	DLR	Sample Frequency Surface Water/	Plant Eff	Surface Water luent Summary led in 2023	Ground Summary Resul Sampled in 2	ts from Wells	Typical Source of Contaminant			
				Groundwater	Range	Average	Range	Average				
Secondary Standards - Inorganic Chemicals												
Chloride	500 mg/L	Y 5		Quarterly/ Quarterly	61 - 100	79	ND - 105	29	Runoff; leaching from natural deposits; seawater influence			
Odor-Threshold	3 units	Y	1	Weekly / Triennially	NA	1	ND - 2	ND	Naturally occurring organic materials			
Specific Conductance	1600 μS/cm	Y	2	Annually / Triennially	NA	590	240 - 820	417	Substances that form ions when in water; seawater influence			
Sulfate	500 mg/L	Y	5	Quarterly/ Quarterly	19 - 60	38	12 - 143	40	Runoff; leaching from natural deposits; industrial wastes			
Total Dissolved Solids (TDS)	1000 mg/L	Y	10	Annually / Triennially	NA	300	300 150 - 470 251		Runoff/leaching of natural deposits			
Turbidity	5 units	Y	0.1	Annually / Triennially	NA	0.3	ND - 0.4	ND	Soil Runoff			
Additional Constituents Analyzed												
Boron	NL = 1 mg/L	Y	0.1	Annually / Triennially	NA	0.2	NA	ND				
Vanadium	NL = 50 μg/L	Y	3	Annually / Triennially	NA	ND	8 - 36	17	Erosion of natural deposits			
Alkalinity	(NA) mg/L	(NA) mg/L NA		Weekly / Triennially	55 - 74	63	76 - 180	115	Dissolved as water passes through deposits which contain carbonate, bicarbonate, and hydroxide compounds			
Calcium	(NA) mg/L	NA	1	Annually / Triennially	NA	31	11 - 72	38	Dissolved as water passes through limestone deposits			
Chromium (Hexavalent)	(NA) µg/L	NA	1	Quarterly / Quarterly	NA	ND	ND - 12	4	Steel and pulp mill discharges, chrome plating, natural erosion			
Hardness	(NA) gpg	NA	0.1	Weekly / Triennially	5-6	5	2 - 13	7	Sum of polyvalent cations present in the water, generally magnesium and calcium. The cations are usually naturally occurring.			
Magnesium	(NA) mg/L	NA	0.1	Annually / Triennially	NA	8	0.4 - 13	6	Dissolved as water passes through magnesium- bearing minerals			
рН	(NA) units	NA	0.1	Continuous / Triennially	6.8 - 7.4	7.1	8.0 - 8.4	8.2	Generally natural changes due to interactions with the environment			
Potassium	(NA) mg/L	NA	1	Annually / Triennially	NA	3	ND - 3	ND	Leaching from natural deposits			
Sodium	(NA) mg/L	NA	1	Annually / Triennially	NA	72	19 - 79	40	Generally naturally occurring salt present in water			
Special Testing	MCL	Meets	MRL	Sample Frequency	Effluent	& Dist. System	Ground	water	Environmental Source			
	III CL	Standard?		-ampie Frequency	Range	Average	Range	Average				
UCMR 4 (Sampled in 2018 - 2019)												
HAA5	(NA) μg/L	NA	NA	Special	0.4 - 8.9	5.2	NA	NA	Byproduct of drinking water disinfection			
HAA6Br	(NA) µg/L	NA	NA	Special	ND - 20	12	NA	NA	Byproduct of drinking water disinfection			
НАА9	(NA) µg/L	NA	NA	Special	0.4 - 22	13	NA	NA	Byproduct of drinking water disinfection			
Manganese	50 μg/L	Υ	0.4	Special	ND - 3.4	1.4	ND - 2.1	ND	Leaching from natural deposits			

Sampled between 2015 and 2023. Individual sites are sampled every 3, 6 or 9 years. Range is from individual sample results.
 Sampled at least once every 9 years and when Gross Alpha Activity exceeds 5 pCi/L.
 The State Water Resources Control Board considers 50 pCi/L to be the level of concern for beta particles.

EDUCATIONAL INFORMATION AND POSSIBLE DRINKING WATER CONTAMINANTS:

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA'S Safe Drinking Water Hotline (1-800-426-4791). Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

NITRATE: In the Primary Standards Inorganic Chemicals section of the chart for Nitrate (as Nitrogen), treated surface water is ND. In the groundwater column, the range is ND to 7 mg/L, and the average is 2 mg/L. The State Water Boad requires annual sampling if results are less than 50% of the MCL. If the result from any one source is greater than 50% of the MCL, then sampling must be done quarterly at that source. PWD samples all its wells on a quarterly basis (4 times per year) even when they test below 50% of the MCL. The numbers expressed on the chart are derived from quarterly sampling of all PWD wells, except those that are out of service.

Health Effects of Nitrate: Nitrate in drinking water at levels above 10 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness, symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity.

Lead and Copper: Palmdale Water District is required to draw new sample sets of tap samples for lead and copper every 3 years. The last samples were taken in 2021 (50 samples). The 90th percentile results of ND for lead and 0.5 ppm for copper are well within the AL of 15 ppb for lead and the AL of 1.3 ppm for copper. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. PWD is responsible for providing high-quality drinking water, but is unable to control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants.

If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at http://www.epa.gov/lead.

Health Effects of Lead: Infants and children who drink water containing lead in excess of the action level may experience delays in their physical or mental development. Children may show slight deficits in attention span and learning abilities. Adults who drink this water over many years may develop kidney problems or high blood pressure.

Health Effects of Copper: Copper is an essential nutrient, but some people who drink water containing copper in excess of the action level over a relatively short amount of time may experience gastrointestinal distress. Some people who drink water containing copper in excess of the action level over many years may suffer liver or kidney damage. People with Wilson's Disease should consult their personal doctor.

DEFINITIONS:

The following definitions of key terms are provided to help you understand the data used in this report.

Detection Limit for purposes of Reporting (DLR): The smallest concentration of a contaminant that can be measured and reported. DLRs are set by State Water Board (same as MRL, Minimum Reporting Level, set by IJSEPA)

Locational Running Annual Average (LRAA): The running annual arithmetic average, computed quarterly, of quarterly arithmetic averages of samples taken at a particular monitoring location.

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the USEPA.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Minimum Reporting Level (MRL): A set concentration that is acceptable to the data user and the laboratory as long as reliable measurement is achieved.

Notification Level (NL): State guidelines developed by State Water Board that addresses the concentration of a contaminant which, if exceeded, triggers public notification.

Primary Drinking Water Standard (PDWS): MCLs, MRDLs and treatment techniques (TIs) for contaminants that affect health, along with their monitoring and reporting requirements.

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California EPA.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Running Annual Average (RAA): The running annual arithmetic average, computed quarterly, of quarterly arithmetic averages of all samples collected.

Secondary Drinking Water Standard (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL level.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water

Unregulated Contaminant Monitoring (UCMR): Unregulated contaminant monitoring helps USEPA and the State Water Board to determine where certain contaminants occur and whether the contaminants need to be regulated.

conductivity)

ADDITIONAL ABBREVIATIONS USED IN WATER QUALITY DATA CHART:

< Less Than

> Greater Than

NA: Not Applicable

ND: Not detectable or Non-Detected at testing limit (DLR or MRL)

TOC: Total Organic Carbon


gpg: grains per gallon (a unit of water hardness)

mg/L: milligrams per liter or parts per million (ppm)
NTU: Nephelometric Turbidity Units

pCi/L: picocuries per liter (a measure of radiation)

µg/L: micrograms per liter or parts per billion (ppb)

µS/cm: microsiemens per centimeter (a measure for







STATE OF OUR WATER

As a Palmdale Water District (PWD) customer, you are receiving clean, high-quality water for you and your family. During 2023, the water provided to you met all federal and state safe drinking water regulations. This Consumer Confidence Report, which is updated and published annually, gives you detailed information about required water quality testing and their results.

This report also gives a snapshot of PWD's water sources and the amount supplied by each during the year. Last year, when 100% of the State Water Project allocation was received, PWD had more than enough to meet customers' needs. The excess allowed for over 6,000 acre-feet to be rolled over to 2024. With the State Water Project allocation at 40%, a full Littlerock Reservoir, and groundwater wells, there will be no shortage of water for the remainder of this year.

Fortunately, storms these past two winters have restored much of the state's reservoirs, including the Littlerock Reservoir, that were nearly depleted during the severe droughts. For PWD, it has depended on the reservoir at the Littlerock Dam for part of its water supply for the past 100 years. Since June 1, 1924, when the Littlerock Dam was completed, it has supplied water to PWD and the Littlerock Creek Irrigation District (LCID).

For the past century, the Littlerock Dam and Reservoir has played an important role in the growth and success of Palmdale, Littlerock and other communities in the southern Antelope Valley. On June 1, 2024, PWD and LCID celebrated the foresight of its predecessors who had the vision to build a monumental structure that still serves its original purpose of storing water and controlling floods.

We are thankful for the Littlerock Dam and Reservoir, a healthy water supply, and for your trust in us as we continue to provide you with high-quality water.

Kathy Mac Laren-Gomez (PWD Board President)
Dennis D. LaMoreaux (PWD General Manager)

The Palmdale Water District is pleased to announce 100% regulatory compliance in 2023 and is confident its drinking water is of the highest quality.

This Consumer Confidence Report is a snapshot of PWD's 2023 water quality and will provide you with a better understanding of the excellent quality of your drinking water. This report includes details about where your water comes from, what it contains, and how it compares to drinking water standards as set by the state of California. We are committed to providing you with this information because informed customers are our best allies. Stringent water-quality testing is performed before the water is delivered to consumers. Last year, PWD completed more than 15,000 tests for over 80 regulated contaminants. Only 11 primary standard contaminants were detected in 2023, and all were at levels below the Maximum Contaminant Level allowed by the state.

Last year, PWD completed more than

15,000


tests for over 80 regulated contaminants Please take the time to review this
Consumer Confidence Report and Water
Quality Data Chart to become an informed
consumer. The Water Quality Data Chart is
divided into two standards – Primary and
Secondary. Primary standards are set to
protect public health from contaminants in
water that may be immediately harmful to
humans or affect their health if consumed
for long periods of time. Secondary
standards govern aesthetic qualities of
water, such as taste, mineral content, odor,
color, and turbidity.



How to contact PWD:

- Attend Board of Directors meetings the second and fourth Mondays of each month. Board meetings start at 6:00 p.m. and are held at the PWD office, 2029 East Avenue Q, Palmdale.
- Call 661-947-4111 with questions about PWD or to file a water quality complaint.
- Call 661-947-4111 x5002 for information on water-use efficiency, including conservation and water education.

For more information, visit our website at palmdalewater.org.



Surface water from the State Water Project (SWP/CA Aqueduct)

This water source begins in northern California, flows into the Delta near Sacramento, and is pumped south to Lake Palmdale. PWD is entitled to take a maximum of 21,300 acre-feet, or 6.9 billion gallons of water, per year. Based on the amount of rain & snowfall in the Sierra Nevada mountains and the amount of water stored in northern California reservoirs, PWD is granted a percentage of the annual entitlement. In 2023, PWD received 7,268 acre-feet from the SWP/CA Aqueduct. The water is drawn from the SWP/CA Aqueduct and stored in Lake Palmdale prior to treatment.

2. Surface water from Littlerock Reservoir

Littlerock Dam was built in 1924 and renovated in 1994 to strengthen the dam and increase the reservoir capacity to 3,500 acre-feet, or 1.1 billion gallons of water. In water year 2023 (October 2022 - September 2023), PWD diverted 4,827 acre-feet from this source. Littlerock Reservoir is fed by natural runoff from snowpacks in the local San Gabriel Mountains and from rainfall. The water is then transferred from Littlerock Reservoir to Lake Palmdale through a ditch connecting the two bodies of water for storage prior to treatment.

3. Groundwater

Groundwater is pumped from the Antelope Valley groundwater basin through 22 wells. In 2023, PWD pumped 4,177 acre-feet. This water is treated with chlorine before being pumped directly into the distribution system.

All three sources are constantly tested and treated in compliance with all applicable regulations to ensure high-quality water and dependability of the water system. The Palmdale Water District delivered approximately 75% surface water and 25% groundwater to its consumers in 2023.

SOURCES OF DRINKING WATER

The sources of drinking water, both tap and bottled, include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides that may come from a variety of sources, such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (U.S. EPA) and the State Water Resources Control Board (State Water Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Water Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

DRINKING WATER SOURCE ASSESSMENT AND PROTECTION PROGRAM

Palmdale Water District's Sanitary Survey, including a Source Water Assessment of surface waters, was updated in 2023 in compliance with state of California regulations. The assessment of surface water sources included Littlerock Reservoir and Lake Palmdale. A Groundwater Assessment and Protection Program was completed in January of 1999, and a Wellhead Protection Plan was completed in November 2000.

PWD's drinking water sources are considered most vulnerable to the following activities associated with contaminants detected in the water supply: illegal activities, such as unauthorized dumping;

recreation; highways; railroads; and sewer collection systems. A comprehensive source water protection program can prevent contaminants from entering the public water supply, reduce treatment costs, and increase public confidence in the quality, reliability and safety of drinking water.

You can help prevent water contamination and pollution by properly disposing of trash and waste materials.

Remember, many common household products can contaminate surface and groundwater supplies.

Anything you throw in the trash, dump on the ground, pour down the drain, or wash down the driveway can eventually reach water sources and cause contamination.

The Sanitary Survey, Source Water Assessment, Groundwater Assessment, and Wellhead Protection Plan are available for review on PWD's website at palmdalewater.org or at PWD's office by calling Assistant General Manager Adam Ly at 661-947-4111 x1062.